



U.S. Department
of Transportation

East Building, PHH – 24
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

**Pipeline and Hazardous
Materials Safety Administration**

**The US Department of Transportation
Competent Authority for the United States**

CLASSIFICATION OF EXPLOSIVES
FIRST REVISION

Based upon a request by YG Yangın Güvenliği San. ve Dış Tic. Ltd. Şti., 4. Levent San. Bölğ., Dostluk Sok. No: 12-1, Kat: 4 No: 6-7, Kağıthane, İstanbul, Türkiye, the following items are classed in accordance with Section 173.56, Title 49, Code of Federal Regulations (49 CFR). A copy of your application, all supporting documentation and a copy of this approval must be retained and made available to DOT upon request.

An EX approval is non-transferable in any merger, acquisition, sale of assets, or other business transaction. For more information, please visit:
[<https://www.phmsa.dot.gov/registration/faq-mergers-acquisitions-and-legal-status-changes-pdf>]

U.N. PROPER SHIPPING NAME AND NUMBER:

Articles, pyrotechnic for technical purposes, UN0432

U.N. CLASSIFICATION CODE: 1.4S

REFERENCE NUMBER:

EX2023092027

PRODUCT DESIGNATION/PART NUMBER:

P/N's: YG-ABC-01 (Super Fire Bal), E-FB: ELY6
(E-Fire USA Fire Extinguishing Ball), BFI-ABC01
(Block Fire International Fire Extinguishing Ball)

NOTES: This classification is only valid when packaged as follows:

Inner Packaging – Boxes, fiberboard, each containing one (1) article.

Outer Packaging – UN 4G fiberboard box, each containing not more than twelve (12) inner packagings.

This approval as revised supersedes all previous versions.

DATED: March 29, 2024

for William Schoonover

Associate Administrator for Hazardous Materials Safety